

WORK BOOK 2020

AMIN TILE
best for you

AMIN TILE

best for you





COLLECTION

60 x 120



SILVA
SUPER NANO POLISH



SILVA

SUPER NANO POLISH



KATHMANDU
SUPER NANO POLISH



KATHMANDU
SUPER NANO POLISH



KALKATEH
SUPER NANO POLISH



KALKATEH

SUPER NANO POLISH



LOOKA
SUPER NANO POLISH



LOOKA

SUPER NANO POLISH

MONTEZA
SUPER NANO POLISH



MONTEZA

SUPER NANO POLISH



OSAKA
SUPER NANO POLISH



OSAKA

SUPER NANO POLISH

The background of the entire image is a marbled pattern. It features a mix of light beige, cream, and off-white colors, interspersed with veins and patches of light brown, tan, and dark brown. The pattern is organic and fluid, resembling natural stone or marble. The overall appearance is that of a high-quality, polished surface.

VINCENZA
SUPER NANO POLISH



VINCENZA

SUPER NANO POLISH



HAYKO

SUPER NANO POLISH



HAYKO

SUPER NANO POLISH



MAKAÓ
SUPER NANO POLISH



MAKAO

SUPER NANO POLISH



LOAN

SUPER NANO POLISH

งานถอด-ประกอบ & ซ่อมเบา MET & LIGHT BODY WORK **SPANESI**

SPANESI
ALUMINUM CLEAN ROOM 2
ห้องเชื่อมอลูมิเนียม 2

SPANESI
BODY WORK BAY 2
งานตัวถัง 2

SPANESI
BODY WORK BAY 3
งานตัวถัง 3



LOAN

SUPER NANO POLISH

RAYAN
MATT



RAYAN

MATT

BERILL
MATT



CECIL

BERILL

MATT

MANELO
MATT



MANELO

MATT

LIYA
MATT



LIYA

MATT

The image displays a full-page view of a marbled paper pattern. The design is a classic 'stone' or 'shell' marble, characterized by irregular, vein-like shapes in shades of light beige, tan, and cream, set against a slightly darker, warm beige background. The overall effect is organic and textured, reminiscent of natural stone or biological cells. In the bottom-left corner, the text 'ODESA' is printed in a bold, black, sans-serif font, with 'MATT' printed directly below it in a smaller, red, sans-serif font.

ODESA
MATT



ODESA

MATT



TRAVITA
MATT



TRAVITA

MATT



ECOMARIN
MATT



ECOMARIN

MATT



GARNET
MATT



GARNET

MATT

| TECHNICAL CHARACTERISTICS FOR PRODUCTS | | | | | | | | | | مشخصات فنی محصولات (گروه B1) | |
|--|-----------------------------|--------------------------|-----------------------------|--------------------------|--|--------------------------------|----------------|----------------|-----------------|------------------------------|--|
| Admin tiles استاندارد کارخانه standard | | حد مجز/Range | استاندارد ایران/IRSI | حد مجز/Range | استاندارد اروپا/European standard | ویژگی/Specifications | | | | | |
| $R_a \leq 0.5\%$ | | $R_a \leq 0.5\%$ | INSO 9169-04 | $R_a \leq 0.5\%$ | ISO10545-03 | جذب آب/Water absorption | | | | | |
| $\geq 40 \text{ N/mm}^2$ | | $\geq 35 \text{ N/mm}^2$ | INSO 9169-04 | $\geq 35 \text{ N/mm}^2$ | ISO10545-04 | مقاومت خمشی / Modulus ruptures | | | | | |
| $\geq 2000 \text{ N}$ | | $\geq 1300 \text{ N}$ | INSO 9169-04 | $\geq 1300 \text{ N}$ | ISO10545-04 | تیرگی شکست / Breaking strength | | | | | |
| resistant | resistant | INSO 9169-11 | resistant | ISO10545-11 | مقاومت در برابر القیاس حرارتی - یخچال/تولکان/ Cracking resistance for glazed tiles | | | | | | |
| Class 3 | Class 3 | INSO 6200 | Class 3 | ISO10545-14 | مقاومت در برابر لکه پایداری / Stain Resistance | | | | | | |
| Class GB | Class GB | ISO 10545-13 | Class GB | ISO10545-13 | مقاومت در برابر شوینده های خانگی و نمک های استخری / Resistance to household detergent & salt of pool | | | | | | |
| $\pm 0.2\%$ | $\pm 0.5\%$ | INSO 9169-02 | $\pm 0.5\%$ | ISO10545-02 | طول و عرض / Length & Width | | | | | | |
| $\pm 5.0\%$ | $\pm 5.0\%$ | INSO 9169-02 | $\pm 5.0\%$ | ISO10545-02 | ضخامت/Thickness | | | | | | |
| $\pm 0.2\%$ | $\pm 0.5\%$ | INSO 9169-02 | $\pm 0.5\%$ | ISO10545-02 | مستطیل بودن اصلاع / Rectangularity | | | | | | |
| $\pm 0.2\%$ | $\pm 0.5\%$ | INSO 9169-02 | $\pm 0.5\%$ | ISO10545-02 | مسطح بودن / Surface Flatness | | | | | | |
| $\pm 0.2\%$ | $\pm 0.5\%$ | INSO 9169-02 | $\pm 0.5\%$ | ISO10545-02 | سوزاری بودن اصلاع / Slides Straightness | | | | | | |
| resistant | resistant | INSO 9169-12 | resistant | ISO10545-12 | مقاومت در برابر زغ دهگی / Frost resistance | | | | | | |
| Free of defects From 1meter | Free of defects From 2meter | INSO 9169-02 | Free of defects From 2meter | ISO10545-02 | کیفیت سطح ظاهر / surface Quality | | | | | | |
| Pallet/ 10 wheels truck | Pallet/6 wheels truck | Pallet/truck | Kg/pallet | carton/pallet | Kg carton | Sqm/pallet | Sqmcarton | Pcs carton | Size | | |
| تعداد پالت کامیون جفت | تعداد پالت کامیون تک | تعداد پالت رژی توپش | وزن هر پالت | تعداد کارتن رژی رژی پالت | وزن هر کارتن | مساحت هر پالت | مساحت هر کارتن | تعداد هر کارتن | اندازه | | |
| 7 | 3 | 12 | 2169 | 40 | 34 | 85.4 | 2.16 | 3 | 60*120 | | |
| 7 | 3 | 12 | 2089 | 32 | 40 | 74.88 | 1.44 | 2 | Polished 60*120 | | |

7th Kilometer , East Bypass , Meybod , IRAN

Tel: (+98) 35 3237 4100 -13

Fax : (+98) 35 3237 4114

Tell Sales:(+98) 35 3237 4116 -20

Fax Sales:(+98) 35 3237 4115

www.amintile.ir

[instagram.amin_tile.co](https://www.instagram.com/amin_tile.co)

info@amintile.ir

[telegram.me/amintile](https://www.telegram.me/amintile)